

# Alambic – R analysis document

*Boris Baldassari*

## Contents

<b>Summary</b>	<b>3</b>
<b>Metrics</b>	<b>4</b>
Number of functions . . . . .	5
Stack Overflow Votes (5Y) . . . . .	5
Project authors . . . . .	5
Public API . . . . .	5
Project committers . . . . .	5
User ML Threads . . . . .	6
Number of critical issues . . . . .	6
Number of releases . . . . .	6
Comment lines density . . . . .	6
ITS issues created last week . . . . .	6
ITS issues updated last year . . . . .	6
User ML Threads . . . . .	7
SCM Open Pull requests one year . . . . .	7
ITS issues updated last week . . . . .	7
ITS Late issues . . . . .	7
Number of releases . . . . .	7
User ML Posts . . . . .	8
SCM committers . . . . .	8
CI information . . . . .	8
Project committers one year . . . . .	8
ITS Open issues . . . . .	8
Project Commits . . . . .	9
Sqale Debt ratio . . . . .	9
SCM Still Open Pull requests one month . . . . .	9
SCM Staled Open Pull requests one month . . . . .	9
ITS Open issues (%) . . . . .	9
File complexity . . . . .	10
Open issues . . . . .	10
Project authors one month . . . . .	10
ITS Authors . . . . .	10
Total complexity . . . . .	10
Number of statements . . . . .	11
Project Commits one week . . . . .	11
Project Commits one year . . . . .	11
SCM committers one year . . . . .	11
ITS Pending issues . . . . .	11
Maintainability rating . . . . .	12
Number of yellow jobs . . . . .	12
SCM Open Pull requests one week . . . . .	12
Doc information . . . . .	12
SCM authors . . . . .	13
SCM authors one year . . . . .	13
Stack Overflow Answer rate (5Y) . . . . .	13

SCM Changed Lines one month . . . . .	13
Project committers one week . . . . .	13
Number of red jobs . . . . .	14
ITS issues created last month . . . . .	14
User ML Authors . . . . .	14
User ML Posts . . . . .	14
SCM Commits . . . . .	14
Number of failed jobs one week . . . . .	15
Duplicated lines (%) . . . . .	15
Stack Overflow Answers (5Y) . . . . .	15
Project authors one week . . . . .	15
SCM committers one week . . . . .	15
Project committers one month . . . . .	16
Number of minor issues . . . . .	16
Public documented API (%) . . . . .	16
Technical debt . . . . .	16
ITS authors last week . . . . .	16
User ML Authors . . . . .	16
Access information . . . . .	17
SCM authors one week . . . . .	17
Test coverage . . . . .	17
SCM information . . . . .	17
Last activity . . . . .	17
Number of green jobs . . . . .	17
Project authors one year . . . . .	18
SCM Commits one year . . . . .	18
ITS issues created last year . . . . .	18
SCM Changed Lines . . . . .	18
Commented code . . . . .	18
Number of info issues . . . . .	19
SCM Commits one month . . . . .	19
ITS Total issues . . . . .	19
Branch coverage . . . . .	19
User ML Threads . . . . .	19
SCM Merged Pull requests . . . . .	19
Stack Overflow Askers (5Y) . . . . .	20
SCM Changed Lines one week . . . . .	20
ITS authors last month . . . . .	20
Number of jobs . . . . .	20
SCM Closed Pull requests . . . . .	20
Stack Overflow Questions (5Y) . . . . .	20
ITS information . . . . .	21
Line coverage . . . . .	21
Project Commits one month . . . . .	21
Number of forks . . . . .	21
SCM Pull requests . . . . .	21
User ML Posts . . . . .	22
Number of blocker issues . . . . .	22
Number of lines of code . . . . .	22
SCM Open Pull requests one month . . . . .	22
Stack Overflow Views (5Y) . . . . .	22
User ML Threads . . . . .	23
Number of stars . . . . .	23
SCM committers one month . . . . .	23

SCM authors one month . . . . .	23
User ML Authors . . . . .	23
Ratio of green jobs . . . . .	24
SCM Still Open Pull requests one year . . . . .	24
Package Tangle index . . . . .	24
SCM Open Pull requests . . . . .	24
User ML Authors . . . . .	24
Number of comment lines . . . . .	24
ITS issues updated last month . . . . .	25
User ML Posts . . . . .	25
Number of major issues . . . . .	25
SCM Commits one week . . . . .	25
ITS authors last year . . . . .	25
Number of files . . . . .	26
SCM Changed Lines one year . . . . .	26
SCM Still Open Pull requests one week . . . . .	26
<b>Attributes</b>	<b>26</b>
Activity . . . . .	26
Diversity . . . . .	27
Documentation . . . . .	27
Ecosystem . . . . .	27
Maintainability . . . . .	27
Process . . . . .	27
Product . . . . .	28
Eclipse Maturity . . . . .	28
Reliability . . . . .	28
Build and Release Management . . . . .	28
Configuration Management . . . . .	28
Support . . . . .	29
<b>Git analysis</b>	<b>29</b>
Weekly commits . . . . .	29
Weekly authors . . . . .	30

## Summary

This plugin generates a PDF document with information about project **tools.andmore**.

This plugin is intended as an example of R Markdown document to help people easily setup their own R analysis on software development data.

# Metrics

Mnemo	Value
ITS_AUTHORS	39.00
ITS_AUTHORS_1M	0.00
ITS_AUTHORS_1W	0.00
ITS_AUTHORS_1Y	1.00
ITS_CREATED_1M	0.00
ITS_CREATED_1W	0.00
ITS_CREATED_1Y	1.00
ITS_ISSUES_ALL	135.00
ITS_OPEN	76.00
ITS_OPEN_OLD	0.00
ITS_OPEN_PERCENT	56.00
ITS_OPEN_UNASSIGNED	0.00
ITS_UPDATED_1M	0.00
ITS_UPDATED_1W	0.00
ITS_UPDATED_1Y	1.00
MLS_USR_AUTHORS	44.00
MLS_USR_AUTHORS_1M	2.00
MLS_USR_AUTHORS_1W	0.00
MLS_USR_AUTHORS_1Y	12.00
MLS_USR_POSTS	39.00
MLS_USR_POSTS_1M	3.00
MLS_USR_POSTS_1W	0.00
MLS_USR_POSTS_1Y	20.00
MLS_USR_THREADS	39.00
MLS_USR_THREADS_1M	2.00
MLS_USR_THREADS_1W	0.00
MLS_USR_THREADS_1Y	12.00
PROJECT_ACCESS_INFO	1.00
PROJECT_DOC_INFO	1.00
PROJECT_ITS_INFO	5.00
PROJECT_REL_VOL	2.00
PROJECT_SCM_INFO	1.00
SCM_AUTHORS	16.00
SCM_AUTHORS_1M	0.00
SCM_AUTHORS_1W	0.00
SCM_AUTHORS_1Y	0.00
SCM_COMMITS	214.00
SCM_COMMITS_1M	0.00
SCM_COMMITS_1W	0.00
SCM_COMMITS_1Y	0.00
SCM_COMMITTERS	16.00
SCM_COMMITTERS_1M	0.00
SCM_COMMITTERS_1W	0.00
SCM_COMMITTERS_1Y	0.00
SCM_MOD_LINES	2434594.00
SCM_MOD_LINES_1M	0.00
SCM_MOD_LINES_1W	0.00
SCM_MOD_LINES_1Y	0.00
SO_ANSWERS_VOL_5Y	5.00
SO_ANSWER_RATE_5Y	1.00
SO_ASKERS_5Y	4.00
SO_QUESTIONS_VOL_5Y	5.00
SO_VIEWS_VOL_5Y	3244.00
SO_VOTES_VOL_5Y	9.00
SQ_COMMENT_LINES	58960.00
SQ_COMR	19.90
SQ_COVERAGE	65.90
SQ_COVERAGE_BRANCH	42.10
SQ_COVERAGE_LINE	69.00
SQ_CPX	50297.00
SQ_CPX_CLASS_IDX	23.50
SQ_CPX_FILE_IDX	30.80
SQ_CPX_FUNC_IDX	3.60
SQ_DUPLICATED_BLOCKS	573.00
SQ_DUPLICATED_FILES	222.00
SQ_DUPLICATED_LINES	10612.00
SQ_DUPLICATED_LINES_DENSITY	2.70
SQ_FILES	1631.00
SQ_FUNCS	13992.00
SQ_ISSUES_OPEN	18734.00
SQ_NCLOC	236897.00
SQ_NCLOC_LANG	
SQ_PACKAGES_CYCLES	588.00
SQ_PACKAGES_TANGLE_IDX	20.20
SQ_PUBLIC_API	8832.00
SQ_PUBLIC_API_DOC_DENSITY	52.10
SQ_PUBLIC_UNDOC_API	4232.00
SQ_RULES	35.00
SQ_SQALE_DEBT_RATIO	5.50
SQ_SQALE_INDEX	391640.00
SQ_SQALE_RATING	1.00
SQ_STATEMENTS	112366.00
SQ_TESTS	613.00
SQ_TEST_SUCCESSFUL_DENSITY	97.60
SQ_VIOLATIONS	18734.00
SQ_VIOLATIONS_BLOCKER	6.00

## Number of functions

ID: SQ\_FUNCS

Value: 13992

Description: Number of functions. Depending on the language, a function is either a function or a method or a paragraph. For Java, constructors are considered as methods and accessors are considered as methods if the sonar.squid.analyse.property.accessors property is set to false. For Cobol, it is the number of paragraphs.

## Stack Overflow Votes (5Y)

ID: SO\_VOTES\_VOL\_5Y

Value: 9

Description: The total number of votes on questions related to the project's tag on Stack Overflow during the last 5 years. Having many votes on questions about the project indicates a strong interest from the community. The list of questions and their answers associated to the tag can be browsed on the Stack Overflow web site.

## Project authors

ID: PROJECT\_AUTHORS

Value:

Description: Total number of identities found as authors of commits in source code management repository. Source code management repositories are those considered as such in the project documentation. Commits in all branches are considered. Date used for each commit is 'author date' (when there is a difference between author date and committer date). An identity is considered as author if it appears as such in the commit record (for systems logging several identities related to the commit, authoring identity will be considered).

## Public API

ID: SQ\_PUBLIC\_API

Value: 8832

Description: Number of public Classes + number of public Functions + number of public Properties

## Project committers

ID: PROJECT\_COMMITTERS

Value:

Description: Total number of identities found as committers of commits in source code management repository. Source code management repositories are those considered as such in the project documentation. Commits in all branches are considered. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). An identity is considered as committer if it appears as such in the commit record.

## User ML Threads

ID: MLS\_USR\_THREADS\_1W

Value: 0

Description: The total number of threads (one question followed by zero or more answers) found in the User mailing list during last week. Having many threads shows the mailing list is active. It encourages people to participate, ask and answer questions.

## Number of critical issues

ID: SQ\_VIOLATIONS\_CRITICAL

Value: 473

Description: The total number of issues (violations) found by SonarQube with a severity equal to CRITICAL.

## Number of releases

ID: PROJECT\_REL\_VOL

Value: 2 ( 2 / 5 )

Description: The number of releases recorded in the PMI. Milestones are retrieved from the PMI file and are counted whatever their target release is. Milestones are useful to assess the maturity of the release and improves predictability of the project's output, in terms of quality and time.

## Comment lines density

ID: SQ\_COMR

Value: 19.9

Description: Density of comment lines = Comment lines / (Lines of code + Comment lines) \* 100. With such a formula, 50% means that the number of lines of code equals the number of comment lines and 100% means that the file only contains comment lines

## ITS issues created last week

ID: ITS\_CREATED\_1W

Value: 0

Description: Number of issues created during last week. If today is Wed. 2017-02-01 then the range is from Wed. 2017-01-25 to Wed. 2017-02-01.

## ITS issues updated last year

ID: ITS\_UPDATED\_1Y

Value: 1

Description: Number of issues updated during last year. If today is 2017-02-01 then the range is from 2016-02-01 to 2017-02-01.

## **User ML Threads**

ID: MLS\_USR\_THREADS\_1M

Value: 2 ( 2 / 5 )

Description: The total number of threads (one question followed by zero or more answers) found in the User mailing list during last month. Having many threads shows the mailing list is active. It encourages people to participate, ask and answer questions.

## **SCM Open Pull requests one year**

ID: SCM\_PRS\_OPENED\_1Y

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened within the last year in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## **ITS issues updated last week**

ID: ITS\_UPDATED\_1W

Value: 0

Description: Number of issues updated during last week. If today is Wed. 2017-02-01 then the range is from Wed. 2017-01-25 to Wed. 2017-02-01.

## **ITS Late issues**

ID: ITS\_LATE

Value:

Description: Number of issues with a past due date. It is considered good practice to keep this number low. Either fix it or maintain its due date.

## **Number of releases**

ID: PMI\_REL\_VOL

Value:

Description: The number of releases recorded in the PMI. Milestones are retrieved from the PMI file and are counted whatever their target release is. Milestones are useful to assess the maturity of the release and improves predictability of the project's output, in terms of quality and time.

## User ML Posts

ID: MLS\_USR\_POSTS\_1M

Value: 3 ( 1 / 5 )

Description: The total number of posts found in the User mailing list during last month. Having many posts shows the mailing list is active. It encourages people to participate, ask and answer questions.

## SCM committers

ID: SCM\_COMMITTERS

Value: 16

Description: Total number of identities found as committers of commits in source code management repository. Source code management repositories are those considered as such in the project documentation. Commits in all branches are considered. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). An identity is considered as committer if it appears as such in the commit record.

## CI information

ID: PROJECT\_CI\_INFO

Value:

Description: Is the continuous integration info correctly filled in the PMI records? The project management infrastructure file holds information about the location of CI services. This test checks the number of ci-related entries defined in the PMI.

## Project committers one year

ID: PROJECT\_COMMITTERS\_1Y

Value:

Description: Total number of identities found as committers of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## ITS Open issues

ID: ITS\_OPEN

Value: 76 ( 5 / 5 )

Description: Number of issues with a state 'open' at the time of analysis.



## **Project Commits**

ID: PROJECT\_COMMITS

Value:

Description: Total number of commits in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date).

## **Sqale Debt ratio**

ID: SQ\_SQALE\_DEBT\_RATIO

Value: 5.5 ( 5 / 5 )

Description: The Technical Debt Ratio, as defined in Sqale.

## **SCM Still Open Pull requests one month**

ID: SCM\_PRS\_OPENED\_STILL\_1M

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened more than one month ago and are still in the opened state in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## **SCM Staled Open Pull requests one month**

ID: SCM\_PRS\_OPENED\_STALED\_1M

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that are in the opened state and have not been updated since one month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## **ITS Open issues (%)**

ID: ITS\_OPEN\_PERCENT

Value: 56

Description: Percentage of open issues compared to the overall number of issues registered in the system.

## File complexity

ID: SQ\_CPX\_FILE\_IDX

Value: 30.8 ( 4 / 5 )

Description: Average complexity by file.

## Open issues

ID: PROJECT\_ISSUES\_OPEN

Value:

Description: The number of issues opened at the time of analysis on the GitLab project. This information is retrieved from GitLab itself, and may differ from numbers gathered from the actual issue tracking system used.

## Project authors one month

ID: PROJECT\_AUTHORS\_1M

Value:

Description: Total number of identities found as authors of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## ITS Authors

ID: ITS\_AUTHORS

Value: 39

Description: Number of different authors who created issues during the lifetime of the project. A high number of authors shows diversity and improves the bus factor of the project.

## Total complexity

ID: SQ\_CPX

Value: 50297

Description: It is the complexity calculated based on the number of paths through the code. Whenever the control flow of a function splits, the complexity counter gets incremented by one. Each function has a minimum complexity of 1. This calculation varies slightly by language because keywords and functionalities do. For more information on line counting for each language, see <https://docs.sonarqube.org/display/SONAR/Metrics+-+Complexity>.

## Number of statements

ID: SQ\_STATEMENTS

Value: 112366

Description: Number of statements. For Java, it is the number of statements as defined in the Java Language Specification but without block definitions. Statements counter gets incremented by one each time a following keyword is encountered: if, else, while, do, for, switch, break, continue, return, throw, synchronized, catch, finally.. Statements counter is not incremented by a class, method, field, annotation definition, package declaration and import declaration. For Cobol, a statement is one of move, if, accept, add, alter, call, cancel, close, compute, continue, delete, display, divide, entry, evaluate, exitProgram, goback, goto, initialize, inspect, merge, multiply, open, perform, read, release, return, rewrite, search, set, sort, start, stop, string, subtract, unstring, write, exec, ibmXmlParse, ibmXmlGenerate, readyReset, mfCommit, mfRollback.

## Project Commits one week

ID: PROJECT\_COMMITS\_1W

Value:

Description: Total number of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## Project Commits one year

ID: PROJECT\_COMMITS\_1Y

Value:

Description: Total number of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## SCM committers one year

ID: SCM\_COMMITTERS\_1Y

Value: 0

Description: Total number of identities found as committers of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## ITS Pending issues

ID: ITS\_OPEN\_UNASSIGNED

Value: 0

Description: Number of issues in state open with no assignee (i.e. pending). It is considered to be good practice to keep this number low. In an active project, people would either work on the bug (i.e. assign it) or triage it (pass it to some other state or assigning it).

## Maintainability rating

ID: SQ\_SQALE\_RATING

Value: 1

Description: Rating given to your project related to the value of your Technical Debt Ratio. The default Maintainability Rating grid is: A=0-0.05, B=0.06-0.1, C=0.11-0.20, D=0.21-0.5, E=0.51-1. The Maintainability Rating scale can be alternately stated by saying that if the outstanding remediation cost depends on the time that has already gone into the application: A  $\leq 5\%$ , B between 6 to 10%, C between 11 to 20%, D between 21 to 50%, and anything over 50% is an E.

## Number of yellow jobs

ID: CI\_JOBS\_YELLOW

Value:

Description: The number of yellow (unstable) jobs on the Hudson engine. Yellow jobs in Hudson define unstable builds. According to Hudson's documentation, a build is unstable if it was built successfully and one or more publishers report it unstable. For example if the JUnit publisher is configured and a test fails then the build will be marked unstable.

## SCM Open Pull requests one week

ID: SCM\_PRS\_OPENED\_1W

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened within the last week in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## Doc information

ID: PROJECT\_DOC\_INFO

Value: 1 ( 2 / 5 )

Description: Is the documentation info correctly filled in the PMI records? The project management infrastructure file holds information about various documentation and manuals. This test checks the number of doc-related entries defined in the PMI: build\_doc, documentation, documentation\_url, forums, gettingstarted\_url, mailing\_lists, website\_url, wiki\_url.

## SCM authors

ID: SCM\_AUTHORS

Value: 16

Description: Total number of identities found as authors of commits in source code management repository. Source code management repositories are those considered as such in the project documentation. Commits in all branches are considered. Date used for each commit is 'author date' (when there is a difference between author date and committer date). An identity is considered as author if it appears as such in the commit record (for systems logging several identities related to the commit, authoring identity will be considered).

## SCM authors one year

ID: SCM\_AUTHORS\_1Y

Value: 0

Description: Total number of identities found as authors of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## Stack Overflow Answer rate (5Y)

ID: SO\_ANSWER\_RATE\_5Y

Value: 1

Description: The average number of answers per questions related to the project's tag on Stack Overflow during the last 5 years. Having many answers posted about the project indicates a strong interest from the community, and a good support. The list of questions and their answers associated to the tag can be browsed on the Stack Overflow web site.

## SCM Changed Lines one month

ID: SCM\_MOD\_LINES\_1M

Value: 0 ( 1 / 5 )

Description: Total number of changed lines (added, removed, changed) in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## Project committers one week

ID: PROJECT\_COMMITTERS\_1W

Value:

Description: Total number of identities found as committers of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project

documentation. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## **Number of red jobs**

ID: CI\_JOBS\_RED

Value:

Description: The number of red (failed) jobs on the Hudson engine. Red jobs in Hudson define failed builds.

## **ITS issues created last month**

ID: ITS\_CREATED\_1M

Value: 0

Description: Number of issues created during last month. If today is 2017-02-01 then the range is from 2017-01-01 to 2017-02-01.

## **User ML Authors**

ID: MLS\_USR\_AUTHORS\_1M

Value: 2 ( 2 / 5 )

Description: The total number of different identities found in the User mailing list during last month. Having many different authors is a sign of diversity and activity. It makes the support more reliable (i.e. increased presence of people) and more complete (i.e. more eyes to solve a problem).

## **User ML Posts**

ID: MLS\_USR\_POSTS\_1Y

Value: 20

Description: The total number of posts found in the User mailing list during last year. Having many posts shows the mailing list is active. It encourages people to participate, ask and answer questions.

## **SCM Commits**

ID: SCM\_COMMITS

Value: 214

Description: Total number of commits in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date).

## Number of failed jobs one week

ID: CI\_JOBS\_FAILED\_1W

Value:

Description: The number of jobs that failed during last week on the Hudson engine.

## Duplicated lines (%)

ID: SQ\_DUPLICATED\_LINES\_DENSITY

Value: 2.7 ( 5 / 5 )

Description: Density of duplication = Duplicated lines / Lines \* 100.

## Stack Overflow Answers (5Y)

ID: SO\_ANSWERS\_VOL\_5Y

Value: 5

Description: The number of answers to questions related to the project's tag posted on Stack Overflow during the last 5 years. Having many answers posted about the project indicates a strong interest from the community, and a good support. The list of questions and their answers associated to the tag can be browsed on the Stack Overflow web site.

## Project authors one week

ID: PROJECT\_AUTHORS\_1W

Value:

Description: Total number of identities found as authors of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## SCM committers one week

ID: SCM\_COMMITTERS\_1W

Value: 0

Description: Total number of identities found as committers of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## **Project committers one month**

ID: PROJECT\_COMMITTERS\_1M

Value:

Description: Total number of identities found as committers of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## **Number of minor issues**

ID: SQ\_VIOLATIONS\_MINOR

Value: 6246

Description: The total number of issues (violations) found by SonarQube with a severity equal to MINOR.

## **Public documented API (%)**

ID: SQ\_PUBLIC\_API\_DOC\_DENSITY

Value: 52.1

Description: Density of public documented API = (Public API - Public undocumented API) / Public API \* 100

## **Technical debt**

ID: SQ\_SQALE\_INDEX

Value: 391640

Description: Effort to fix all maintainability issues. The measure is stored in minutes in the DB.

## **ITS authors last week**

ID: ITS\_AUTHORS\_1W

Value: 0

Description: Number of authors who created issues during last week. If today is Wed. 2017-02-01 then the range is from Wed. 2017-01-25 to Wed. 2017-02-01.

## **User ML Authors**

ID: MLS\_USR\_AUTHORS\_1Y

Value: 12

Description: The total number of different identities found in the User mailing list during last year. Having many different authors is a sign of diversity and activity. It makes the support more reliable (i.e. increased presence of people) and more complete (i.e. more eyes to solve a problem).



## Access information

ID: PROJECT\_ACCESS\_INFO

Value: 1 ( 3 / 5 )

Description: Is the access info (downloads, update sites..) correctly filled in the PMI records? The project management infrastructure file holds information about how to access binaries of the project. This test checks the number of access-related entries defined in the PMI: download\_url, downloads, update\_sites.

## SCM authors one week

ID: SCM\_AUTHORS\_1W

Value: 0

Description: Total number of identities found as authors of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## Test coverage

ID: SQ\_COVERAGE

Value: 65.9 ( 5 / 5 )

Description: Overall test coverage.

## SCM information

ID: PROJECT\_SCM\_INFO

Value: 1 ( 4 / 5 )

Description: Is the source\_repo info correctly filled in the PMI records? The project management infrastructure file holds information about one or more source repositories. This test checks that at least one source repository is defined, and accessible.

## Last activity

ID: PROJECT\_LAST\_ACTIVITY\_AT

Value:

Description: The date of last activity for this project. This includes any type of action: changes on issues, git commits or pushes, merge requests, comments... A project with a old last activity timestamp shows the project is dead (or in agony at least).

## Number of green jobs

ID: CI\_JOBS\_GREEN

Value:

Description: The number of green (successful) jobs on the Hudson engine. Green (or blue) jobs in Hudson define successful builds.

## **Project authors one year**

ID: PROJECT\_AUTHORS\_1Y

Value:

Description: Total number of identities found as authors of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## **SCM Commits one year**

ID: SCM\_COMMITS\_1Y

Value: 0

Description: Total number of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## **ITS issues created last year**

ID: ITS\_CREATED\_1Y

Value: 1

Description: Number of issues created during last year. If today is 2017-02-01 then the range is from 2016-02-01 to 2017-02-01.

## **SCM Changed Lines**

ID: SCM\_MOD\_LINES

Value: 2434594

Description: Total number of changed lines (added, removed, changed) in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date).

## **Commented code**

ID: SQ\_COM\_CODE

Value:

Description: Commented lines of code See more information about commented code on SonarQube doc web site. There is a well-documented debate on Stack Overflow as well.

## **Number of info issues**

ID: SQ\_VIOLATIONS\_INFO

Value: 493

Description: The total number of issues (violations) found by SonarQube with a severity equal to INFO.

## **SCM Commits one month**

ID: SCM\_COMMITS\_1M

Value: 0 ( 1 / 5 )

Description: Total number of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## **ITS Total issues**

ID: ITS\_ISSUES\_ALL

Value: 135

Description: Number of issues registered in the database, whatever their state is.

## **Branch coverage**

ID: SQ\_COVERAGE\_BRANCH

Value: 42.1

Description: Branch test coverage.

## **User ML Threads**

ID: MLS\_USR\_THREADS\_1Y

Value: 12

Description: The total number of threads (one question followed by zero or more answers) found in the User mailing list during last year. Having many threads shows the mailing list is active. It encourages people to participate, ask and answer questions.

## **SCM Merged Pull requests**

ID: SCM\_PRS\_MERGED

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) in the 'merged' state in source code management repositories.

## **Stack Overflow Askers (5Y)**

ID: SO\_ASKERS\_5Y

Value: 4

Description: The number of distinct people asking questions related to the project's tag posted on Stack Overflow during the last 5 years. Having many people ask questions about the project indicates a strong interest from the community, and a good support. The list of questions and their answers associated to the tag can be browsed on the Stack Overflow web site.

## **SCM Changed Lines one week**

ID: SCM\_MOD\_LINES\_1W

Value: 0

Description: Total number of changed lines (added, removed, changed) in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## **ITS authors last month**

ID: ITS\_AUTHORS\_1M

Value: 0 ( 1 / 5 )

Description: Number of authors who created issues during last month. If today is 2017-02-01 then the range is from 2017-01-01 to 2017-02-01.

## **Number of jobs**

ID: CI\_JOBS

Value:

Description: The total number of jobs defined on the Hudson engine.

## **SCM Closed Pull requests**

ID: SCM\_PRS\_CLOSED

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) in the closed state in source code management repositories.

## **Stack Overflow Questions (5Y)**

ID: SO\_QUESTIONS\_VOL\_5Y

Value: 5

Description: The number of questions related to the project's tag posted on Stack Overflow during the last 5 years. Having many questions posted about the project indicates a strong interest from the community. The list of questions associated to the tag can be browsed on the Stack Overflow web site.

## **ITS information**

ID: PROJECT\_ITS\_INFO

Value: 5 ( 5 / 5 )

Description: Is the bugzilla info correctly filled in the PMI records? The project management infrastructure file holds information about one or more bugzilla instances. This test checks that at least one bugzilla instance is defined, with a product identifier, a create\_url to enter a new issue, and a query\_url to fetch all the issues for the project.

## **Line coverage**

ID: SQ\_COVERAGE\_LINE

Value: 69

Description: Line test coverage.

## **Project Commits one month**

ID: PROJECT\_COMMITS\_1M

Value:

Description: Total number of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## **Number of forks**

ID: PROJECT\_FORKS

Value:

Description: The number of forks for this project. More forks usually mean a greater activity.

## **SCM Pull requests**

ID: SCM\_PRS

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) in source code management repositories. Source code management repositories are those considered as such in the project documentation.

## User ML Posts

ID: MLS\_USR\_POSTS

Value: 39

Description: The total number of posts found in the User mailing list. Having many posts shows the mailing list is active. It encourages people to participate, ask and answer questions.

## Number of blocker issues

ID: SQ\_VIOLATIONS\_BLOCKER

Value: 6 ( 4 / 5 )

Description: The total number of issues (violations) found by SonarQube with a severity equal to BLOCKER.

## Number of lines of code

ID: SQ\_NCLOC

Value: 236897

Description: Number of physical lines that contain at least one character which is neither a whitespace or a tabulation or part of a comment. For Cobol, generated lines of code and pre-processing instructions (SKIP1, SKIP2, SKIP3, COPY, EJECT, REPLACE) are not counted as lines of code.

## SCM Open Pull requests one month

ID: SCM\_PRS\_OPENED\_1M

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened within the last month in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## Stack Overflow Views (5Y)

ID: SO\_VIEWS\_VOL\_5Y

Value: 3244

Description: The total number of views for questions related to the project's tag on Stack Overflow during the last 5 years. Having many views on questions about the project indicates a strong interest from the community. The list of questions and their answers associated to the tag can be browsed on the Stack Overflow web site.

## User ML Threads

ID: MLS\_USR\_THREADS

Value: 39

Description: The total number of threads (one question followed by zero or more answers) found in the User mailing list. Having many threads shows the mailing list is active. It encourages people to participate, ask and answer questions.

## Number of stars

ID: PROJECT\_STARS

Value:

Description: The number of times people have starred this project. Users use stars to show their interest for a project, and more stars usually mean a greater visibility and interest.

## SCM committers one month

ID: SCM\_COMMITTERS\_1M

Value: 0

Description: Total number of identities found as committers of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## SCM authors one month

ID: SCM\_AUTHORS\_1M

Value: 0 ( 1 / 5 )

Description: Total number of identities found as authors of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## User ML Authors

ID: MLS\_USR\_AUTHORS

Value: 44

Description: The total number of different identities found in the User mailing list. Having many different authors is a sign of diversity and activity. It makes the support more reliable (i.e. increased presence of people) and more complete (i.e. more eyes to solve a problem).

## Ratio of green jobs

ID: CI\_JOBS\_GREEN\_RATIO

Value:

Description: The number of green (successful) jobs on the Hudson engine, divided by the total number of jobs. Green (or blue) jobs in Hudson define successful builds.

## SCM Still Open Pull requests one year

ID: SCM\_PRS\_OPENED\_STILL\_1Y

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened more than one year ago and are still in the opened state in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## Package Tangle index

ID: SQ\_PACKAGES\_TANGLE\_IDX

Value: 20.2 ( 5 / 5 )

Description: The Package tangle index, as defined in SonarQube.

## SCM Open Pull requests

ID: SCM\_PRS\_OPENED

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) in the opened state in source code management repositories.

## User ML Authors

ID: MLS\_USR\_AUTHORS\_1W

Value: 0

Description: The total number of different identities found in the User mailing list during last week. Having many different authors is a sign of diversity and activity. It makes the support more reliable (i.e. increased presence of people) and more complete (i.e. more eyes to solve a problem).

## Number of comment lines

ID: SQ\_COMMENT\_LINES

Value: 58960



Description: Number of lines containing either comment or commented-out code. Non-significant comment lines (empty comment lines, comment lines containing only special characters, etc.) do not increase the number of comment lines. For Java, file headers are not counted as comment lines (as they usually define the license). Lines containing the following instructions are counted both as comments and lines of code: AUTHOR, INSTALLATION, DATE-COMPILED, DATE-WRITTEN, SECURITY.

### **ITS issues updated last month**

ID: ITS\_UPDATED\_1M

Value: 0 ( 1 / 5 )

Description: Number of issues updated during last month. If today is 2017-02-01 then the range is from 2017-01-01 to 2017-02-01.

### **User ML Posts**

ID: MLS\_USR\_POSTS\_1W

Value: 0

Description: The total number of posts found in the User mailing list during last week. Having many posts shows the mailing list is active. It encourages people to participate, ask and answer questions.

### **Number of major issues**

ID: SQ\_VIOLATIONS\_MAJOR

Value: 11516

Description: The total number of issues (violations) found by SonarQube with a severity equal to MAJOR.

### **SCM Commits one week**

ID: SCM\_COMMITS\_1W

Value: 0

Description: Total number of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

### **ITS authors last year**

ID: ITS\_AUTHORS\_1Y

Value: 1

Description: Number of authors who created issues during last year. If today is 2017-02-01 then the range is from 2016-02-01 to 2017-02-01.

## Number of files

ID: SQ\_FILES

Value: 1631

Description: The total number of files analysed.

## SCM Changed Lines one year

ID: SCM\_MOD\_LINES\_1Y

Value: 0

Description: Total number of changed lines (added, removed, changed) in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## SCM Still Open Pull requests one week

ID: SCM\_PRS\_OPENED\_STILL\_1W

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened more than one week ago and are still in the opened state in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## Attributes

Mnemo	Value
QM_ACTIVITY	1.00
QM_DIVERSITY	1.30
QM_DOC	3.50
QM_ECOSYSTEM	1.30
QM_MAINTAINABILITY	5.00
QM_PROCESS	2.50
QM_PRODUCT	4.80
QM_QUALITY	2.90
QM_RELIABILITY	4.50
QM_REL_ENG	2.00
QM_SCM	2.00
QM_SUPPORT	1.70

## Activity

ID: QM\_ACTIVITY

Value: 1 / 5

Description: The activity of the project's ecosystem, as measured on the mailing lists and configuration management system. An active project will provide a lot of information on the mailing lists, so when an user encounters an issue she will quickly find the information she needs, and has more chances to get answers if she asks. Fixes and improvements are added regularly.

## Diversity

ID: QM\_DIVERSITY

Value: 1.3 / 5

Description: The diversity of the project's ecosystem, as measured on the mailing lists and configuration management system. If many different actors from different companies are involved in the project, then it improves its sustainability (by eliminating a single point of failure) and adaptability to different situations. Having developers and users with different contexts and perspectives on the project helps widening its scope and provide a more generic support.

## Documentation

ID: QM\_DOC

Value: 3.5 / 5

Description: The maturity of code. Good code is vital for maintenance and evolution. It will encourage people to contribute, lower the number of bugs, and make a better product for the end-user as well as for the maintainers.

## Ecosystem

ID: QM\_ECOSYSTEM

Value: 1.3 / 5

Description: The sustainability of the ecosystem evolving around the project. Sustainability is a key point for long term support. If there is a lot of activity, if people can get fast and complete answers, if many people from different companies contribute to the project, then it will have more chance to still be there in a few years, and to continue providing fixes and improvements. Ecosystem requirements have been discussed on the mailing list and during meetings, and have been further described on the Polarsys wiki.

## Maintainability

ID: QM\_MAINTAINABILITY

Value: 5 / 5

Description: The Maintainability of the codebase, as defined in ISO-9126.

## Process

ID: QM\_PROCESS

Value: 2.5 / 5

Description: The maturity of the process used to run the project. A sound process helps people to do things right and ease collaborative work. If the process is documented, has predictable output, helps enforcing good development practices, etc. then new comers will easily find the information to collaborate, test or change code, or participate in the community. A good process also helps producing a good product [[Ing2003](/documentation/references.html#Ing2003)] – although it is agreed that the process is not enough by itself. Process requirements have been discussed on the mailing list and during meetings, and have been further described on the Polarsys wiki. Some may also recognise CMMi Key Process Areas among the attributes.

## Product

ID: QM\_PRODUCT

Value: 4.8 / 5

Description: The maturity of the product itself, from the code perspective. Considering the vast amount and diversity of the projects under the Eclipse umbrella, there must be no single definition of quality to fit them all. However, Eclipse has some recommended practices and concerns about product quality. Projects are then expected to extend this foundation. Major concerns identified for Eclipse products quality are linked to the development context of the foundation (open source, very large code base and thousands of contributor worldwide), and its architecture (modular stacks of components). It must be highlighted that product quality is not clearly defined on the public wiki, neither for its definition nor for how it may be assessed. Furthermore, almost all product-related rules (with a few exceptions, like for packages naming) are optional guidelines. . Ecosystem requirements have been discussed on the mailing list and during meetings, and have been further described on the Polarsys wiki.

## Eclipse Maturity

ID: QM\_QUALITY

Value: 2.9 / 5

Description: The overall Maturity of the project. In the context of embedded software, Maturity is usually associated with some kind of reliability (most bugs have been already found) and functionality of code, sustainability of the project (will it still deliver fixes and improvements in a few years), and process predictability. Maturity in the PolarSys context has been further described on the wiki, and is actually precisely defined by the decomposition of this quality model.

## Reliability

ID: QM\_RELIABILITY

Value: 4.5 / 5

Description: The Reliability of code, as defined in ISO-9126.

## Build and Release Management

ID: QM\_REL\_ENG

Value: 2 / 5

Description: Does the project apply best practices regarding Build and Release management?

## Configuration Management

ID: QM\_SCM

Value: 2 / 5

Description: The maturity of the project regarding access and usage of the configuration management system. Configuration management is an essential part of the collaboration in the project. Access to the source should be documented and facilitated for new comers to easily come in.

## Support

ID: QM\_SUPPORT

Value: 1.7 / 5


Description: The amount of knowledge provided when someone asks for support. Having many answers on a single question helps better understand how the product works in different conditions, and also provides help for people looking for a similar information later on, since mailing lists are archived and public.

## Git analysis

The repository contains a total of 214 commits made by 16 authors. The first commit was made on the 2012-08-15 and the last analysed commits was made on 2017-12-02.

During the last month, there has been 0 commits made by 0 authors.

## Weekly commits



## Weekly authors

