

# Alambic – R analysis document

*Boris Baldassari*

## Contents

<b>Summary</b>	<b>3</b>
<b>Metrics</b>	<b>4</b>
Duplicated lines (%)	5
SCM Merged Pull requests	5
SCM Closed Pull requests	5
Stack Overflow Questions (5Y)	5
Number of minor issues	5
Project authors one week	5
CI information	6
Last activity	6
Test coverage	6
Number of failed jobs one week	6
Project Commits one year	6
SCM Staled Open Pull requests one month	6
SCM Open Pull requests one week	7
Project Commits	7
Stack Overflow Votes (5Y)	7
File complexity	7
SCM authors	7
Number of stars	8
ITS Open issues (%)	8
SCM authors one year	8
User ML Posts	8
SCM Open Pull requests one year	8
User ML Threads	9
User ML Threads	9
Number of yellow jobs	9
Public API	9
SCM Still Open Pull requests one year	9
Number of functions	10
Number of jobs	10
Number of red jobs	10
Package Tangle index	10
Stack Overflow Askers (5Y)	10
Project authors one month	10
User ML Authors	11
Number of green jobs	11
SCM Changed Lines one week	11
User ML Threads	11
User ML Authors	11
Stack Overflow Views (5Y)	12
SCM Commits one year	12
ITS Open issues	12
SCM Changed Lines	12
Doc information	12

Technical debt . . . . .	13
User ML Posts . . . . .	13
ITS information . . . . .	13
ITS issues created last week . . . . .	13
SCM information . . . . .	13
SCM committers one year . . . . .	13
Number of critical issues . . . . .	14
SCM Commits one month . . . . .	14
Project committers one year . . . . .	14
SCM authors one week . . . . .	14
Public documented API (%) . . . . .	14
Number of statements . . . . .	15
Number of blocker issues . . . . .	15
SCM Open Pull requests one month . . . . .	15
Total complexity . . . . .	15
ITS authors last week . . . . .	15
SCM committers one month . . . . .	16
User ML Authors . . . . .	16
Project Commits one week . . . . .	16
User ML Posts . . . . .	16
Line coverage . . . . .	16
SCM Still Open Pull requests one month . . . . .	17
Stack Overflow Answers (5Y) . . . . .	17
Number of releases . . . . .	17
Stack Overflow Answer rate (5Y) . . . . .	17
SCM Open Pull requests . . . . .	17
Number of files . . . . .	18
ITS Total issues . . . . .	18
SCM Commits . . . . .	18
SCM committers one week . . . . .	18
Number of info issues . . . . .	18
Project Commits one month . . . . .	18
SCM Changed Lines one month . . . . .	19
SCM Commits one week . . . . .	19
SCM authors one month . . . . .	19
SCM Pull requests . . . . .	19
SCM Still Open Pull requests one week . . . . .	19
Commented code . . . . .	20
ITS issues updated last week . . . . .	20
Number of major issues . . . . .	20
Number of lines of code . . . . .	20
Number of releases . . . . .	20
SCM Changed Lines one year . . . . .	21
Comment lines density . . . . .	21
Number of comment lines . . . . .	21
Branch coverage . . . . .	21
Access information . . . . .	21
Project authors . . . . .	22
ITS authors last month . . . . .	22
ITS issues updated last year . . . . .	22
Ratio of green jobs . . . . .	22
Number of forks . . . . .	22
Project committers one week . . . . .	22
User ML Posts . . . . .	23

Open issues . . . . .	23
Project committers one month . . . . .	23
ITS Pending issues . . . . .	23
Project authors one year . . . . .	23
ITS Authors . . . . .	24
ITS issues updated last month . . . . .	24
User ML Threads . . . . .	24
ITS Late issues . . . . .	24
SCM committers . . . . .	24
User ML Authors . . . . .	24
ITS authors last year . . . . .	25
ITS issues created last month . . . . .	25
Maintainability rating . . . . .	25
Project committers . . . . .	25
Sqale Debt ratio . . . . .	25
ITS issues created last year . . . . .	26
<b>Attributes</b>	<b>26</b>
Activity . . . . .	26
Diversity . . . . .	26
Documentation . . . . .	26
Ecosystem . . . . .	27
Maintainability . . . . .	27
Process . . . . .	27
Product . . . . .	27
Eclipse Maturity . . . . .	28
Reliability . . . . .	28
Build and Release Management . . . . .	28
Configuration Management . . . . .	28
Support . . . . .	28
<b>Git analysis</b>	<b>28</b>
Weekly commits . . . . .	29
Weekly authors . . . . .	29

## Summary

This plugin generates a PDF document with information about project **tools.pdt**.

This plugin is intended as an example of R Markdown document to help people easily setup their own R analysis on software development data.

# Metrics

Mnemo	Value
CI_JOBS	22.00
CI_JOBS_FAILED_1W	1.00
CI_JOBS_GREEN	21.00
CI_JOBS_GREEN_RATIO	95.00
CI_JOBS_RED	1.00
CI_JOBS_YELLOW	0.00
ITS_AUTHORS	1378.00
ITS_AUTHORS_1M	4.00
ITS_AUTHORS_1W	1.00
ITS_AUTHORS_1Y	44.00
ITS_CREATED_1M	4.00
ITS_CREATED_1W	1.00
ITS_CREATED_1Y	82.00
ITS_ISSUES_ALL	6007.00
ITS_OPEN	649.00
ITS_OPEN_OLD	0.00
ITS_OPEN_PERCENT	11.00
ITS_OPEN_UNASSIGNED	0.00
ITS_UPDATED_1M	4.00
ITS_UPDATED_1W	1.00
ITS_UPDATED_1Y	82.00
MLS_USR_AUTHORS	1923.00
MLS_USR_AUTHORS_1M	2.00
MLS_USR_AUTHORS_1W	1.00
MLS_USR_AUTHORS_1Y	80.00
MLS_USR_POSTS	2635.00
MLS_USR_POSTS_1M	2.00
MLS_USR_POSTS_1W	1.00
MLS_USR_POSTS_1Y	141.00
MLS_USR_THREADS	2635.00
MLS_USR_THREADS_1M	2.00
MLS_USR_THREADS_1W	1.00
MLS_USR_THREADS_1Y	87.00
PROJECT_ACCESS_INFO	2.00
PROJECT_DOC_INFO	8.00
PROJECT_ITS_INFO	5.00
PROJECT_REL_VOL	33.00
PROJECT_SCM_INFO	1.00
SCM_AUTHORS	45.00
SCM_AUTHORS_1M	1.00
SCM_AUTHORS_1W	1.00
SCM_AUTHORS_1Y	4.00
SCM_COMMITS	9879.00
SCM_COMMITS_1M	4.00
SCM_COMMITS_1W	2.00
SCM_COMMITS_1Y	70.00
SCM_COMMITTERS	44.00
SCM_COMMITTERS_1M	1.00
SCM_COMMITTERS_1W	1.00
SCM_COMMITTERS_1Y	4.00
SCM_MOD_LINES	4763336.00
SCM_MOD_LINES_1M	334.00
SCM_MOD_LINES_1W	129.00
SCM_MOD_LINES_1Y	214461.00
SO_ANSWERS_VOL_5Y	149.00
SO_ANSWER_RATE_5Y	0.98
SO_ASKERS_5Y	136.00
SO_QUESTIONS_VOL_5Y	152.00
SO_VIEWS_VOL_5Y	70317.00
SO_VOTES_VOL_5Y	132.00
SQ_COMMENT_LINES	67411.00
SQ_COMR	18.00
SQ_COVERAGE	29.80
SQ_COVERAGE_BRANCH	27.20
SQ_COVERAGE_LINE	31.00
SQ_CPX	76635.00
SQ_CPX_CLASS_IDX	22.00
SQ_CPX_FILE_IDX	29.30
SQ_CPX_FUNC_IDX	3.10
SQ_DUPLICATED_BLOCKS	1123.00
SQ_DUPLICATED_FILES	446.00
SQ_DUPLICATED_LINES	22338.00
SQ_DUPLICATED_LINES_DENSITY	4.60
SQ_FILES	2618.00
SQ_FUNCS	24505.00
SQ_ISSUES_OPEN	16889.00
SQ_NCLOC	306190.00
SQ_NCLOC_LANG	
SQ_PACKAGES_CYCLES	598.00
SQ_PACKAGES_TANGLE_IDX	22.70
SQ_PUBLIC_API	11983.00
SQ_PUBLIC_API_DOC_DENSITY	40.60
SQ_PUBLIC_UNDOC_API	7113.00
SQ_RULES	35.00
SQ_SQALE_DEBT_RATIO	5.60
SQ_SQALE_INDEX	515222.00

## Duplicated lines (%)

ID: SQ\_DUPLICATED\_LINES\_DENSITY

Value: 4.6 ( 5 / 5 )

Description: Density of duplication = Duplicated lines / Lines \* 100.

## SCM Merged Pull requests

ID: SCM\_PRS\_MERGED

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) in the 'merged' state in source code management repositories.

## SCM Closed Pull requests

ID: SCM\_PRS\_CLOSED

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) in the closed state in source code management repositories.

## Stack Overflow Questions (5Y)

ID: SO\_QUESTIONS\_VOL\_5Y

Value: 152

Description: The number of questions related to the project's tag posted on Stack Overflow during the last 5 years. Having many questions posted about the project indicates a strong interest from the community. The list of questions associated to the tag can be browsed on the Stack Overflow web site.

## Number of minor issues

ID: SQ\_VIOLATIONS\_MINOR

Value: 3821

Description: The total number of issues (violations) found by SonarQube with a severity equal to MINOR.

## Project authors one week

ID: PROJECT\_AUTHORS\_1W

Value:

Description: Total number of identities found as authors of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## CI information

ID: PROJECT\_CI\_INFO

Value:

Description: Is the continuous integration info correctly filled in the PMI records? The project management infrastructure file holds information about the location of CI services. This test checks the number of ci-related entries defined in the PMI.

## Last activity

ID: PROJECT\_LAST\_ACTIVITY\_AT

Value:

Description: The date of last activity for this project. This includes any type of action: changes on issues, git commits or pushes, merge requests, comments... A project with a old last activity timestamp shows the project is dead (or in agony at least).

## Test coverage

ID: SQ\_COVERAGE

Value: 29.8 ( 3 / 5 )

Description: Overall test coverage.

## Number of failed jobs one week

ID: CI\_JOBS\_FAILED\_1W

Value: 1 ( 4 / 5 )

Description: The number of jobs that failed during last week on the Hudson engine.

## Project Commits one year

ID: PROJECT\_COMMITS\_1Y

Value:

Description: Total number of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## SCM Staled Open Pull requests one month

ID: SCM\_PRS\_OPENED\_STALED\_1M

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that are in the opened state and have not been updated since one month. Source code management repositories are those considered as such

in the project documentation. Date used for each commit is ‘author date’ (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## **SCM Open Pull requests one week**

ID: SCM\_PRS\_OPENED\_1W

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened within the last week in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is ‘author date’ (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## **Project Commits**

ID: PROJECT\_COMMITS

Value:

Description: Total number of commits in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is ‘author date’ (when there is a difference between author date and committer date).

## **Stack Overflow Votes (5Y)**

ID: SO\_VOTES\_VOL\_5Y

Value: 132

Description: The total number of votes on questions related to the project’s tag on Stack Overflow during the last 5 years. Having many votes on questions about the project indicates a strong interest from the community. The list of questions and their answers associated to the tag can be browsed on the Stack Overflow web site.

## **File complexity**

ID: SQ\_CPX\_FILE\_IDX

Value: 29.3 ( 3 / 5 )

Description: Average complexity by file.

## **SCM authors**

ID: SCM\_AUTHORS

Value: 45

Description: Total number of identities found as authors of commits in source code management repository. Source code management repositories are those considered as such in the project documentation. Commits in all branches are considered. Date used for each commit is ‘author date’ (when there is a difference between author date and committer date). An identity is considered as author if it appears as such in the commit record (for systems logging several identities related to the commit, authoring identity will be considered).

## **Number of stars**

ID: PROJECT\_STARS

Value:

Description: The number of times people have starred this project. Users use stars to show their interest for a project, and more stars usually mean a greater visibility and interest.

## **ITS Open issues (%)**

ID: ITS\_OPEN\_PERCENT

Value: 11

Description: Percentage of open issues compared to the overall number of issues registered in the system.

## **SCM authors one year**

ID: SCM\_AUTHORS\_1Y

Value: 4

Description: Total number of identities found as authors of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## **User ML Posts**

ID: MLS\_USR\_POSTS

Value: 2635

Description: The total number of posts found in the User mailing list. Having many posts shows the mailing list is active. It encourages people to participate, ask and answer questions.

## **SCM Open Pull requests one year**

ID: SCM\_PRS\_OPENED\_1Y

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened within the last year in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).



## User ML Threads

ID: MLS\_USR\_THREADS\_1M

Value: 2 ( 2 / 5 )

Description: The total number of threads (one question followed by zero or more answers) found in the User mailing list during last month. Having many threads shows the mailing list is active. It encourages people to participate, ask and answer questions.

## User ML Threads

ID: MLS\_USR\_THREADS\_1W

Value: 1

Description: The total number of threads (one question followed by zero or more answers) found in the User mailing list during last week. Having many threads shows the mailing list is active. It encourages people to participate, ask and answer questions.

## Number of yellow jobs

ID: CI\_JOBS\_YELLOW

Value: 0

Description: The number of yellow (unstable) jobs on the Hudson engine. Yellow jobs in Hudson define unstable builds. According to Hudson's documentation, a build is unstable if it was built successfully and one or more publishers report it unstable. For example if the JUnit publisher is configured and a test fails then the build will be marked unstable.

## Public API

ID: SQ\_PUBLIC\_API

Value: 11983

Description: Number of public Classes + number of public Functions + number of public Properties

## SCM Still Open Pull requests one year

ID: SCM\_PRS\_OPENED\_STILL\_1Y

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened more than one year ago and are still in the opened state in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## Number of functions

ID: SQ\_FUNCS

Value: 24505

Description: Number of functions. Depending on the language, a function is either a function or a method or a paragraph. For Java, constructors are considered as methods and accessors are considered as methods if the sonar.squid.analyse.property.accessors property is set to false. For Cobol, it is the number of paragraphs.

## Number of jobs

ID: CI\_JOBS

Value: 22

Description: The total number of jobs defined on the Hudson engine.

## Number of red jobs

ID: CI\_JOBS\_RED

Value: 1

Description: The number of red (failed) jobs on the Hudson engine. Red jobs in Hudson define failed builds.

## Package Tangle index

ID: SQ\_PACKAGES\_TANGLE\_IDX

Value: 22.7 ( 5 / 5 )

Description: The Package tangle index, as defined in SonarQube.

## Stack Overflow Askers (5Y)

ID: SO\_ASKERS\_5Y

Value: 136

Description: The number of distinct people asking questions related to the project's tag posted on Stack Overflow during the last 5 years. Having many people ask questions about the project indicates a strong interest from the community, and a good support. The list of questions and their answers associated to the tag can be browsed on the Stack Overflow web site.

## Project authors one month

ID: PROJECT\_AUTHORS\_1M

Value:

Description: Total number of identities found as authors of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## User ML Authors

ID: MLS\_USR\_AUTHORS\_1W

Value: 1

Description: The total number of different identities found in the User mailing list during last week. Having many different authors is a sign of diversity and activity. It makes the support more reliable (i.e. increased presence of people) and more complete (i.e. more eyes to solve a problem).

## Number of green jobs

ID: CI\_JOBS\_GREEN

Value: 21

Description: The number of green (successful) jobs on the Hudson engine. Green (or blue) jobs in Hudson define successful builds.

## SCM Changed Lines one week

ID: SCM\_MOD\_LINES\_1W

Value: 129

Description: Total number of changed lines (added, removed, changed) in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## User ML Threads

ID: MLS\_USR\_THREADS

Value: 2635

Description: The total number of threads (one question followed by zero or more answers) found in the User mailing list. Having many threads shows the mailing list is active. It encourages people to participate, ask and answer questions.

## User ML Authors

ID: MLS\_USR\_AUTHORS\_1Y

Value: 80

Description: The total number of different identities found in the User mailing list during last year. Having many different authors is a sign of diversity and activity. It makes the support more reliable (i.e. increased presence of people) and more complete (i.e. more eyes to solve a problem).

## Stack Overflow Views (5Y)

ID: SO\_VIEWS\_VOL\_5Y

Value: 70317

Description: The total number of views for questions related to the project's tag on Stack Overflow during the last 5 years. Having many views on questions about the project indicates a strong interest from the community. The list of questions and their answers associated to the tag can be browsed on the Stack Overflow web site.

## SCM Commits one year

ID: SCM\_COMMITS\_1Y

Value: 70

Description: Total number of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## ITS Open issues

ID: ITS\_OPEN

Value: 649 ( 5 / 5 )

Description: Number of issues with a state 'open' at the time of analysis.

## SCM Changed Lines

ID: SCM\_MOD\_LINES

Value: 4763336

Description: Total number of changed lines (added, removed, changed) in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date).

## Doc information

ID: PROJECT\_DOC\_INFO

Value: 8 ( 5 / 5 )

Description: Is the documentation info correctly filled in the PMI records? The project management infrastructure file holds information about various documentation and manuals. This test checks the number of doc-related entries defined in the PMI: build\_doc, documentation, documentation\_url, forums, gettingstarted\_url, mailing\_lists, website\_url, wiki\_url.

## Technical debt

ID: SQ\_SQALE\_INDEX

Value: 515222

Description: Effort to fix all maintainability issues. The measure is stored in minutes in the DB.

## User ML Posts

ID: MLS\_USR\_POSTS\_1M

Value: 2 ( 1 / 5 )

Description: The total number of posts found in the User mailing list during last month. Having many posts shows the mailing list is active. It encourages people to participate, ask and answer questions.

## ITS information

ID: PROJECT\_ITS\_INFO

Value: 5 ( 5 / 5 )

Description: Is the bugzilla info correctly filled in the PMI records? The project management infrastructure file holds information about one or more bugzilla instances. This test checks that at least one bugzilla instance is defined, with a product identifier, a create\_url to enter a new issue, and a query\_url to fetch all the issues for the project.

## ITS issues created last week

ID: ITS\_CREATED\_1W

Value: 1

Description: Number of issues created during last week. If today is Wed. 2017-02-01 then the range is from Wed. 2017-01-25 to Wed. 2017-02-01.

## SCM information

ID: PROJECT\_SCM\_INFO

Value: 1 ( 4 / 5 )

Description: Is the source\_repo info correctly filled in the PMI records? The project management infrastructure file holds information about one or more source repositories. This test checks that at least one source repository is defined, and accessible.

## SCM committers one year

ID: SCM\_COMMITTERS\_1Y

Value: 4

Description: Total number of identities found as committers of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'committer date' (when there is a difference between author

date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

### **Number of critical issues**

ID: SQ\_VIOLATIONS\_CRITICAL

Value: 402

Description: The total number of issues (violations) found by SonarQube with a severity equal to CRITICAL.

### **SCM Commits one month**

ID: SCM\_COMMITS\_1M

Value: 4 ( 2 / 5 )

Description: Total number of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

### **Project committers one year**

ID: PROJECT\_COMMITTERS\_1Y

Value:

Description: Total number of identities found as committers of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

### **SCM authors one week**

ID: SCM\_AUTHORS\_1W

Value: 1

Description: Total number of identities found as authors of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

### **Public documented API (%)**

ID: SQ\_PUBLIC\_API\_DOC\_DENSITY

Value: 40.6

Description: Density of public documented API = (Public API - Public undocumented API) / Public API \* 100

## Number of statements

ID: SQ\_STATEMENTS

Value: 145953

Description: Number of statements. For Java, it is the number of statements as defined in the Java Language Specification but without block definitions. Statements counter gets incremented by one each time a following keyword is encountered: if, else, while, do, for, switch, break, continue, return, throw, synchronized, catch, finally.. Statements counter is not incremented by a class, method, field, annotation definition, package declaration and import declaration. For Cobol, a statement is one of move, if, accept, add, alter, call, cancel, close, compute, continue, delete, display, divide, entry, evaluate, exitProgram, goback, goto, initialize, inspect, merge, multiply, open, perform, read, release, return, rewrite, search, set, sort, start, stop, string, subtract, unstring, write, exec, ibmXmlParse, ibmXmlGenerate, readyReset, mfCommit, mfRollback.

## Number of blocker issues

ID: SQ\_VIOLATIONS\_BLOCKER

Value: 0 ( 5 / 5 )

Description: The total number of issues (violations) found by SonarQube with a severity equal to BLOCKER.

## SCM Open Pull requests one month

ID: SCM\_PRS\_OPENED\_1M

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened within the last month in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## Total complexity

ID: SQ\_CPX

Value: 76635

Description: It is the complexity calculated based on the number of paths through the code. Whenever the control flow of a function splits, the complexity counter gets incremented by one. Each function has a minimum complexity of 1. This calculation varies slightly by language because keywords and functionalities do. For more information on line counting for each language, see <https://docs.sonarqube.org/display/SONAR/Metrics+-+Complexity>.

## ITS authors last week

ID: ITS\_AUTHORS\_1W

Value: 1

Description: Number of authors who created issues during last week. If today is Wed. 2017-02-01 then the range is from Wed. 2017-01-25 to Wed. 2017-02-01.

## SCM committers one month

ID: SCM\_COMMITTERS\_1M

Value: 1

Description: Total number of identities found as committers of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## User ML Authors

ID: MLS\_USR\_AUTHORS\_1M

Value: 2 ( 2 / 5 )

Description: The total number of different identities found in the User mailing list during last month. Having many different authors is a sign of diversity and activity. It makes the support more reliable (i.e. increased presence of people) and more complete (i.e. more eyes to solve a problem).

## Project Commits one week

ID: PROJECT\_COMMITS\_1W

Value:

Description: Total number of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## User ML Posts

ID: MLS\_USR\_POSTS\_1Y

Value: 141

Description: The total number of posts found in the User mailing list during last year. Having many posts shows the mailing list is active. It encourages people to participate, ask and answer questions.

## Line coverage

ID: SQ\_COVERAGE\_LINE

Value: 31

Description: Line test coverage.



## SCM Still Open Pull requests one month

ID: SCM\_PRS\_OPENED\_STILL\_1M

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened more than one month ago and are still in the opened state in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## Stack Overflow Answers (5Y)

ID: SO\_ANSWERS\_VOL\_5Y

Value: 149

Description: The number of answers to questions related to the project's tag posted on Stack Overflow during the last 5 years. Having many answers posted about the project indicates a strong interest from the community, and a good support. The list of questions and their answers associated to the tag can be browsed on the Stack Overflow web site.

## Number of releases

ID: PMI\_REL\_VOL

Value:

Description: The number of releases recorded in the PMI. Milestones are retrieved from the PMI file and are counted whatever their target release is. Milestones are useful to assess the maturity of the release and improves predictability of the project's output, in terms of quality and time.

## Stack Overflow Answer rate (5Y)

ID: SO\_ANSWER\_RATE\_5Y

Value: 0.98

Description: The average number of answers per questions related to the project's tag on Stack Overflow during the last 5 years. Having many answers posted about the project indicates a strong interest from the community, and a good support. The list of questions and their answers associated to the tag can be browsed on the Stack Overflow web site.

## SCM Open Pull requests

ID: SCM\_PRS\_OPENED

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) in the opened state in source code management repositories.

## **Number of files**

ID: SQ\_FILES

Value: 2618

Description: The total number of files analysed.

## **ITS Total issues**

ID: ITS\_ISSUES\_ALL

Value: 6007

Description: Number of issues registered in the database, whatever their state is.

## **SCM Commits**

ID: SCM\_COMMITS

Value: 9879

Description: Total number of commits in source code management repositories. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date).

## **SCM committers one week**

ID: SCM\_COMMITTERS\_1W

Value: 1

Description: Total number of identities found as committers of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## **Number of info issues**

ID: SQ\_VIOLATIONS\_INFO

Value: 805

Description: The total number of issues (violations) found by SonarQube with a severity equal to INFO.

## **Project Commits one month**

ID: PROJECT\_COMMITS\_1M

Value:

Description: Total number of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time

range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

### **SCM Changed Lines one month**

ID: SCM\_MOD\_LINES\_1M

Value: 334 ( 4 / 5 )

Description: Total number of changed lines (added, removed, changed) in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

### **SCM Commits one week**

ID: SCM\_COMMITS\_1W

Value: 2

Description: Total number of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

### **SCM authors one month**

ID: SCM\_AUTHORS\_1M

Value: 1 ( 2 / 5 )

Description: Total number of identities found as authors of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

### **SCM Pull requests**

ID: SCM\_PRS

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) in source code management repositories. Source code management repositories are those considered as such in the project documentation.

### **SCM Still Open Pull requests one week**

ID: SCM\_PRS\_OPENED\_STILL\_1W

Value:

Description: Total number of Pull Requests (PRs) or Merge Requests (MRs) that have been opened more than one week ago and are still in the opened state in source code management repositories. Source code

management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## **Commented code**

ID: SQ\_COM\_CODE

Value:

Description: Commented lines of code See more information about commented code on SonarQube doc web site. There is a well-documented debate on Stack Overflow as well.

## **ITS issues updated last week**

ID: ITS\_UPDATED\_1W

Value: 1

Description: Number of issues updated during last week. If today is Wed. 2017-02-01 then the range is from Wed. 2017-01-25 to Wed. 2017-02-01.

## **Number of major issues**

ID: SQ\_VIOLATIONS\_MAJOR

Value: 11861

Description: The total number of issues (violations) found by SonarQube with a severity equal to MAJOR.

## **Number of lines of code**

ID: SQ\_NCLOC

Value: 306190

Description: Number of physical lines that contain at least one character which is neither a whitespace or a tabulation or part of a comment. For Cobol, generated lines of code and pre-processing instructions (SKIP1, SKIP2, SKIP3, COPY, EJECT, REPLACE) are not counted as lines of code.

## **Number of releases**

ID: PROJECT\_REL\_VOL

Value: 33 ( 5 / 5 )

Description: The number of releases recorded in the PMI. Milestones are retrieved from the PMI file and are counted whatever their target release is. Milestones are useful to assess the maturity of the release and improves predictability of the project's output, in terms of quality and time.

## SCM Changed Lines one year

ID: SCM\_MOD\_LINES\_1Y

Value: 214461

Description: Total number of changed lines (added, removed, changed) in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## Comment lines density

ID: SQ\_COMR

Value: 18

Description: Density of comment lines =  $\text{Comment lines} / (\text{Lines of code} + \text{Comment lines}) * 100$ . With such a formula, 50% means that the number of lines of code equals the number of comment lines and 100% means that the file only contains comment lines

## Number of comment lines

ID: SQ\_COMMENT\_LINES

Value: 67411

Description: Number of lines containing either comment or commented-out code. Non-significant comment lines (empty comment lines, comment lines containing only special characters, etc.) do not increase the number of comment lines. For Java, file headers are not counted as comment lines (as they usually define the license). Lines containing the following instructions are counted both as comments and lines of code: AUTHOR, INSTALLATION, DATE-COMPILED, DATE-WRITTEN, SECURITY.

## Branch coverage

ID: SQ\_COVERAGE\_BRANCH

Value: 27.2

Description: Branch test coverage.

## Access information

ID: PROJECT\_ACCESS\_INFO

Value: 2 ( 4 / 5 )

Description: Is the access info (downloads, update sites..) correctly filled in the PMI records? The project management infrastructure file holds information about how to access binaries of the project. This test checks the number of access-related entries defined in the PMI: download\_url, downloads, update\_sites.

## Project authors

ID: PROJECT\_AUTHORS

Value:

Description: Total number of identities found as authors of commits in source code management repository. Source code management repositories are those considered as such in the project documentation. Commits in all branches are considered. Date used for each commit is 'author date' (when there is a difference between author date and committer date). An identity is considered as author if it appears as such in the commit record (for systems logging several identities related to the commit, authoring identity will be considered).

## ITS authors last month

ID: ITS\_AUTHORS\_1M

Value: 4 ( 3 / 5 )

Description: Number of authors who created issues during last month. If today is 2017-02-01 then the range is from 2017-01-01 to 2017-02-01.

## ITS issues updated last year

ID: ITS\_UPDATED\_1Y

Value: 82

Description: Number of issues updated during last year. If today is 2017-02-01 then the range is from 2016-02-01 to 2017-02-01.

## Ratio of green jobs

ID: CI\_JOBS\_GREEN\_RATIO

Value: 95 ( 5 / 5 )

Description: The number of green (successful) jobs on the Hudson engine, divided by the total number of jobs. Green (or blue) jobs in Hudson define successful builds.

## Number of forks

ID: PROJECT\_FORKS

Value:

Description: The number of forks for this project. More forks usually mean a greater activity.

## Project committers one week

ID: PROJECT\_COMMITTERS\_1W

Value:

Description: Total number of identities found as committers of commits in source code management repositories dated during the last week. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'committer date' (when there is a difference between author

date and committer date). Time range is measured as a one week period starting the day before the data retrieval.

## **User ML Posts**

ID: MLS\_USR\_POSTS\_1W

Value: 1

Description: The total number of posts found in the User mailing list during last week. Having many posts shows the mailing list is active. It encourages people to participate, ask and answer questions.

## **Open issues**

ID: PROJECT\_ISSUES\_OPEN

Value:

Description: The number of issues opened at the time of analysis on the GitLab project. This information is retrieved from GitLab itself, and may differ from numbers gathered from the actual issue tracking system used.

## **Project committers one month**

ID: PROJECT\_COMMITTERS\_1M

Value:

Description: Total number of identities found as committers of commits in source code management repositories dated during the last month. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). Time range is measured as a one month period starting the day before the data retrieval (example: if retrieval is on Feb 3rd, period is from Jan 3rd to Feb 2nd, both included).

## **ITS Pending issues**

ID: ITS\_OPEN\_UNASSIGNED

Value: 0

Description: Number of issues in state open with no assignee (i.e. pending). It is considered to be good practice to keep this number low. In an active project, people would either work on the bug (i.e. assign it) or triage it (pass it to some other state or assigning it).

## **Project authors one year**

ID: PROJECT\_AUTHORS\_1Y

Value:

Description: Total number of identities found as authors of commits in source code management repositories dated during the last year. Source code management repositories are those considered as such in the project documentation. Date used for each commit is 'author date' (when there is a difference between author date and committer date). Time range is measured as a one year period starting the day before the data retrieval (example: if retrieval is on Feb 3rd 2016, period is from Feb 3rd 2015 to Feb 3rd 2016, both included).

## **ITS Authors**

ID: ITS\_AUTHORS

Value: 1378

Description: Number of different authors who created issues during the lifetime of the project. A high number of authors shows diversity and improves the bus factor of the project.

## **ITS issues updated last month**

ID: ITS\_UPDATED\_1M

Value: 4 ( 3 / 5 )

Description: Number of issues updated during last month. If today is 2017-02-01 then the range is from 2017-01-01 to 2017-02-01.

## **User ML Threads**

ID: MLS\_USR\_THREADS\_1Y

Value: 87

Description: The total number of threads (one question followed by zero or more answers) found in the User mailing list during last year. Having many threads shows the mailing list is active. It encourages people to participate, ask and answer questions.

## **ITS Late issues**

ID: ITS\_LATE

Value:

Description: Number of issues with a past due date. It is considered good practice to keep this number low. Either fix it or maintain its due date.

## **SCM committers**

ID: SCM\_COMMITTERS

Value: 44

Description: Total number of identities found as committers of commits in source code management repository. Source code management repositories are those considered as such in the project documentation. Commits in all branches are considered. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). An identity is considered as committer if it appears as such in the commit record.

## **User ML Authors**

ID: MLS\_USR\_AUTHORS

Value: 1923



Description: The total number of different identities found in the User mailing list. Having many different authors is a sign of diversity and activity. It makes the support more reliable (i.e. increased presence of people) and more complete (i.e. more eyes to solve a problem).

### **ITS authors last year**

ID: ITS\_AUTHORS\_1Y

Value: 44

Description: Number of authors who created issues during last year. If today is 2017-02-01 then the range is from 2016-02-01 to 2017-02-01.

### **ITS issues created last month**

ID: ITS\_CREATED\_1M

Value: 4

Description: Number of issues created during last month. If today is 2017-02-01 then the range is from 2017-01-01 to 2017-02-01.

### **Maintainability rating**

ID: SQ\_SQALE\_RATING

Value: 1

Description: Rating given to your project related to the value of your Technical Debt Ratio. The default Maintainability Rating grid is: A=0-0.05, B=0.06-0.1, C=0.11-0.20, D=0.21-0.5, E=0.51-1. The Maintainability Rating scale can be alternately stated by saying that if the outstanding remediation cost depends on the time that has already gone into the application: A  $\leq$ 5%, B between 6 to 10%, C between 11 to 20%, D between 21 to 50%, and anything over 50% is an E.

### **Project committers**

ID: PROJECT\_COMMITTERS

Value:

Description: Total number of identities found as committers of commits in source code management repository. Source code management repositories are those considered as such in the project documentation. Commits in all branches are considered. Date used for each commit is 'committer date' (when there is a difference between author date and committer date). An identity is considered as committer if it appears as such in the commit record.

### **Sqale Debt ratio**

ID: SQ\_SQALE\_DEBT\_RATIO

Value: 5.6 ( 5 / 5 )

Description: The Technical Debt Ratio, as defined in Sqale.

## ITS issues created last year

ID: ITS\_CREATED\_1Y

Value: 82

Description: Number of issues created during last year. If today is 2017-02-01 then the range is from 2016-02-01 to 2017-02-01.

## Attributes

Mnemo	Value
QM_ACTIVITY	2.80
QM_DIVERSITY	2.30
QM_DOC	4.50
QM_ECOSYSTEM	2.50
QM_MAINTAINABILITY	4.50
QM_PROCESS	4.10
QM_PRODUCT	4.20
QM_QUALITY	3.60
QM_RELIABILITY	4.00
QM_REL_ENG	5.00
QM_SCM	2.70
QM_SUPPORT	2.30

## Activity

ID: QM\_ACTIVITY

Value: 2.8 / 5

Description: The activity of the project's ecosystem, as measured on the mailing lists and configuration management system. An active project will provide a lot of information on the mailing lists, so when a user encounters an issue she will quickly find the information she needs, and has more chances to get answers if she asks. Fixes and improvements are added regularly.

## Diversity

ID: QM\_DIVERSITY

Value: 2.3 / 5

Description: The diversity of the project's ecosystem, as measured on the mailing lists and configuration management system. If many different actors from different companies are involved in the project, then it improves its sustainability (by eliminating a single point of failure) and adaptability to different situations. Having developers and users with different contexts and perspectives on the project helps widening its scope and provide a more generic support.

## Documentation

ID: QM\_DOC

Value: 4.5 / 5

Description: The maturity of code. Good code is vital for maintenance and evolution. It will encourage people to contribute, lower the number of bugs, and make a better product for the end-user as well as for the maintainers.

## **Ecosystem**

ID: QM\_ECOSYSTEM

Value: 2.5 / 5

Description: The sustainability of the ecosystem evolving around the project. Sustainability is a key point for long term support. If there is a lot of activity, if people can get fast and complete answers, if many people from different companies contribute to the project, then it will have more chance to still be there in a few years, and to continue providing fixes and improvements. Ecosystem requirements have been discussed on the mailing list and during meetings, and have been further described on the Polarsys wiki.

## **Maintainability**

ID: QM\_MAINTAINABILITY

Value: 4.5 / 5

Description: The Maintainability of the codebase, as defined in ISO-9126.

## **Process**

ID: QM\_PROCESS

Value: 4.1 / 5

Description: The maturity of the process used to run the project. A sound process helps people to do things right and ease collaborative work. If the process is documented, has predictable output, helps enforcing good development practices, etc. then new comers will easily find the information to collaborate, test or change code, or participate in the community. A good process also helps producing a good product [[Ing2003](/documentation/references.html#Ing2003)] – although it is agreed that the process is not enough by itself. Process requirements have been discussed on the mailing list and during meetings, and have been further described on the Polarsys wiki. Some may also recognise CMMi Key Process Areas among the attributes.

## **Product**

ID: QM\_PRODUCT

Value: 4.2 / 5

Description: The maturity of the product itself, from the code perspective. Considering the vast amount and diversity of the projects under the Eclipse umbrella, there must be no single definition of quality to fit them all. However, Eclipse has some recommended practices and concerns about product quality. Projects are then expected to extend this foundation. Major concerns identified for Eclipse products quality are linked to the development context of the foundation (open source, very large code base and thousands of contributor worldwide), and its architecture (modular stacks of components). It must be highlighted that product quality is not clearly defined on the public wiki, neither for its definition nor for how it may be assessed. Furthermore, almost all product-related rules (with a few exceptions, like for packages naming) are optional guidelines. . Ecosystem requirements have been discussed on the mailing list and during meetings, and have been further described on the Polarsys wiki.

## Eclipse Maturity

ID: QM\_QUALITY

Value: 3.6 / 5

Description: The overall Maturity of the project. In the context of embedded software, Maturity is usually associated with some kind of reliability (most bugs have been already found) and functionality of code, sustainability of the project (will it still deliver fixes and improvements in a few years), and process predictability. Maturity in the PolarSys context has been further described on the wiki, and is actually precisely defined by the decomposition of this quality model.

## Reliability

ID: QM\_RELIABILITY

Value: 4 / 5

Description: The Reliability of code, as defined in ISO-9126.

## Build and Release Management

ID: QM\_REL\_ENG

Value: 5 / 5

Description: Does the project apply best practices regarding Build and Release management?

## Configuration Management

ID: QM\_SCM

Value: 2.7 / 5

Description: The maturity of the project regarding access and usage of the configuration management system. Configuration management is an essential part of the collaboration in the project. Access to the source should be documented and facilitated for new comers to easily come in.

## Support

ID: QM\_SUPPORT

Value: 2.3 / 5


Description: The amount of knowledge provided when someone asks for support. Having many answers on a single question helps better understand how the product works in different conditions, and also provides help for people looking for a similar information later on, since mailing lists are archived and public.

## Git analysis

The repository contains a total of 9879 commits made by 45 authors. The first commit was made on the 2006-05-02 and the last analysed commits was made on 2019-06-21.

During the last month, there has been 4 commits made by 1 authors.

## Weekly commits



## Weekly authors

